RESTRICTED USE PESTICIDE
(GROUND AND SURFACE WATER CONCERNS)
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.
THIS PRODUCT IS A RESTRICTED-USE HERBICIDE DUE TO GROUND AND SURFACE WATER CONCERNS. USERS MUST READ AND FOLLOW ALL PRECAUTIONARY STATEMENTS AND INSTRUCTIONS FOR USE IN ORDER TO MINIMIZE POTENTIAL FOR ATRAZINE TO REACH GROUND AND SURFACE WATER.

syngenta.

FIFRA

Section 2(ee) Recommendation

Date: May 16, 2014

Product: Lumax® EZ Herbicide, EPA Reg. No. 100-1442
Plus
Accent® Q, EPA Reg. No. 352-773
Or
Basis® Blend , EPA Reg. No. 352-854
Or
Resolve® Q, EPA Reg. No. 352-777
Or
Steadfast® Q, EPA Reg. No. 352-774

Use: Tank-mixture of Lumax EZ + Accent Q or Basis Blend or Resolve Q or Steadfast Q for Improved Control of Emerged Grass Weeds in Corn

State: AL, AR, AZ, CO, CT, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist
- This recommendation for use of Lumax EZ is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Tank-mix Lumax EZ at 2.0 – 3.25 qts./Acre + Accent Q or Basis Blend or Resolve Q or Steadfast Q + nonionic surfactant (NIS) at 1 qt./100 gallons of water carrier for improved control of emerged grass weeds in a postemergence application in field corn. Refer to tank mixture product label for specific application rates, precautions and restrictions.

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Lumax® and the Syngenta logo are trademarks of a Syngenta Group Company.
Accent®, Basis®, Resolve®, Steadfast® are trademarks of E.I. duPont de Nemours & Company.
©2014 Syngenta

Expiration Date: May 16, 2019

Label Code: AL1442116AC0514

syngenta.

FIFRA

Section 2(ee) Recommendation

Date: April 25, 2014

Product: Medal® II EC
EPA Reg. No. 100-818

Use: Use of lower rates in field corn on coarse textured soils

State: CO, IA, IL, IN, KS, KY, MI, MO, MN, NE, ND, OH, OK, SD, WI

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply Medal II EC at 0.67-1.0 pt/A alone or as a tank mix when all of the following criteria are met: 1) when applied to coarse textured soils as defined on the Section 3 federal label. 2) when applied using the following methods of application: preplant surface, preplant incorporated, or preemergence. 3) when used in a two-pass (preemergence followed by postemergence application) weed control program consistent with the federal Section 3 label.

Do not exceed the maximum seasonal S-metolachlor rate for corn, 3.9 pt/A (3.72 lb ai/A).

The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.

The user should have this recommendation in its possession at the time of use.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.

This recommendation for use of Medal II EC is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Medal® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2014 Syngenta

Expiration Date: April 25, 2019

Labe Code: CO0818105AC0414

syngenta.

FIFRA

Section 2(ee) Recommendation

Date:	April 4, 2014
Product:	Monument 75WG Herbicide EPA Reg. No. 100-1134
Use:	Lower Rate of Monument 75WG for Spot Treatments with Backpack Sprayers (0.5 gram Pack)
State:	AL, AR, AZ, CA, CO, DE, FL, GA, HI, IL, IN, KS, KY, LA, MD, MO, MS, NC, NJ, NE, NM, NV, OH, PA, SC, TN, UT, VA, OK

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Spot Treatments with Backpack Sprayers

Dissolve 0.0176 oz. (0.5 gram) of Monument 75WG per 2 gallons of water add 20 mL (2/3 oz) of a nonionic surfactant and spray mixture at a rate of 1-2 gallons per 1000 square feet.

The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.

The user should have this recommendation in its possession at the time of use.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.

This recommendation for use of Monument 75WG is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Monument® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2014 Syngenta

Expiration Date: April 4, 2019

Labe Code: AL1134114AC0414

Bayer CropScience

Bayer CropScience LP
2 T.W. Alexander Drive
Research Triangle Park, NC 27709
1-866-99BAYER (1-866-992-2937)

Laudis® Herbicide
EPA Reg. No. 264-860
+
Dicamba herbicides

Laudis® + Dicamba tank mixture for the control of emerged grasses and broadleaf weeds in field corn.

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF ILLINOIS

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. This product bulletin should be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product	Rate	Crop	Weeds
Laudis® Herbicide +	2 to 3 fl. oz/acre[1] +	Apply the tank mixture to field corn from emergence up to the V9 growth stage, or 36' tall corn, whichever occurs first.	For enhanced control of broadleaf and glyphosate-resistant weeds.
Dicamba herbicides +	8 to 10[2] fl oz/acre[1]		
MSO +	1.0% v/v		
Ammonium Nitrogen Fertilizer	Recommended rate on the Laudis Herbicide label		

[1] If the dicamba rate in the tank mixture is 10 fl. oz/acre, the Laudis Herbicide rate in the tank mixture MUST be 3 fl. oz/acre.
[2] The maximum rate/acre varies amongst dicamba products. Refer to the product label for the maximum allowable rate/acre.

Notes and Restrictions:

- Apply as a broadcast spray in a minimum of 10 gallons of water per acre.
- Apply spray mixtures within 24 hours of mixing to avoid product degradation.
- Avoid drift onto adjacent crops. **It is the responsibility of the applicator to insure that drift to non-target crops and non-target areas does not occur.**
- For further use directions, precautions and restrictions not addressed in this bulletin, follow the most restrictive directions on the respective labels of both partners in the tank mixture.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions.
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

Laudis® is a registered trademark of Bayer.

2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA

DUPONT™ CORAGEN® INSECT CONTROL

EPA Reg. No. 352-729

FOR CONTROL OF WESTERN BEAN CUTWORM IN SWEET CORN IN THE STATES OF ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, NEBRASKA, OHIO, AND WISCONSIN

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont™ CORAGEN® insect control is recommended for the control of western bean cutworm larvae in sweet corn.

Apply CORAGEN® at 3.5 to 5.0 fluid ounces per acre as a foliar spray. Adjuvants such as methylated seed oil (MSO) may be added for improved coverage and residual.

Apply when populations reach local established treatment thresholds to prevent crop damage.

Do not make more than two sequential applications of CORAGEN® before rotating to another registered insecticide having a different mode-of-action

PRECAUTIONS

Do not apply more than 15.4 fluid ounces of CORAGEN® per acre per year.
Do not make more than 4 applications per acre per crop.
Sweet corn: retreatment interval is 1 day and preharvest interval is 1 day.
The field re-entry interval is 4 hours.

Read and follow all applicable directions, restrictions, and precautions

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at http://cropprotection.dupont.com/

© 2014 E.I. du Pont de Nemours and Company, 1007 Market Street, Wilmington, DE 19898

2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA

DUPONT™ VIEWPOINT® HERBICIDE

EPA REG. NO. 352-847

FOR CONTROL OR SUPPRESSION OF ADDITIONAL WEEDS AND BRUSH IN NON-CROPLAND AREAS IN ALL STATES EXCEPT NEW HAMPSHIRE, NEW YORK, AND TEXAS

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product.

PRODUCT INFORMATION

VIEWPOINT® herbicide is recommended for the control of listed weeds and brush growing in non-cropland areas as described in the product information section of the VIEWPOINT® federal label.

Apply VIEWPOINT® herbicide at the rates according to the table to control the listed species.

WEEDS CONTROLLED:

WEEDS	Rate 13 to 20 Ounces per Acre
Hawkweed, orange	*Hieracium aurantiacum*
Snakeweed, broom	*Gutierrezia sarothrae*
Toadflax, dalmation	*Linaria dalmatica*

BRUSH CONTROLLED:

BRUSH		High Volume Foliar ounces/100 gallon	Broadcast Foliar ounces/acre
Baccharis, eastern	*Baccharis halimifolia*	13 - 20	16 - 20
Locust, honey	*Gleditsia triacanthos*	13 - 20	16 - 20
Pine, loblolly	*Pinus taeda*	16 - 20	20
Pine, Virginia[1,2]	*Pinus virginia*	16 - 20	20
Privet, Chinese	*Ligustrum sinense*	16 - 20	20
Rabbitbrush, rubber	*Ericameria nauseosa*	16 - 20	20
Yaupon[1]	*Ilex vomitoria*	16 - 20	

1 - Suppression: a visual reduction in weed competition (reduced population or vigor) as compared to an untreated area.

2 - See specific weed section.

Specific Weed Directions:

Virginia Pine: For complete control tankmix "Krenite" at 1.5 gallons per acre or glyphosate at 5.4 pounds active ingredient per acre (1 gallon of a 5.4 pound per gallon material or 1.33 gallons of a 4 pound per gallon material)

Use a suitable adjuvant with VIEWPOINT® as listed in the adjuvant section of the VIEWPOINT® federal label.

Do not apply more than 20 ounces per broadcast acre per year.

Use the higher spray volumes, herbicide and adjuvant rates for heavy weed infestations and hard to control species.

Thorough spray coverage of all brush foliage is necessary for best control.

Before using VIEWPOINT® herbicide, refer to the product label for additional information and precautions. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at http://cropprotection.dupont.com/

© 2014 E. I. du Pont de Nemours and Company. All rights reserved.

2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA

DUPONT™ STREAMLINE® HERBICIDE

EPA REG. NO. 352-848

FOR CONTROL OR SUPPRESSION OF ADDITIONAL WEEDS AND BRUSH IN NON-CROPLAND AREAS IN ALL STATES EXCEPT NEW HAMPSHIRE, NEW YORK AND TEXAS

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product.

PRODUCT INFORMATION

STREAMLINE® herbicide is recommended for the control of listed weeds and brush growing in non-cropland areas as described in the product information section of the STREAMLINE® federal label.

Apply STREAMLINE® herbicide at the rates according to the table to control the listed species.

WEEDS CONTROLLED:

4.75 to 9.5 OuncesperAcre

Hawkweed, orange	*Hieracium aurantiacum*
Locust, honey	*Gleditsia triacanthos*
Snakeweed, broom	*Gutierrezia sarothrae*
Toadflax, dalmation	*Linaria dalmatica*

7.5 to11.5 OuncesperAcre

Broom, Scotch	Cytisus scoparius

BRUSH CONTROLLED:

BRUSH		Rate High Volume Foliar ounces/100 gallon	Rate Broadcast Foliar ounces/acre
Pine, loblolly	*Pinus taeda*	9.5 - 11.5	11.5
Pine, Virginia[1,2]	*Pinus virginia*	9.5 - 11.5	11.5
Privet, Chinese	*Ligustrum sinense*	9.5 - 11.5	11.5
Rabbitbrush, rubber	*Ericameria nauseosa*	9.5 - 11.5	11.5
Sweetgum[1,2]	*Liquidambar styraciflua*	9.5 - 11.5	11.5

1 - Suppression: a visual reduction in weed competition (reduced population or vigor) as compared to an untreated area.

2 - See specific weed section.

Specific Weed Directions:

Virginia Pine: For complete control, tankmix "Krenite" at 1.5 gallons per acre or glyphosate at 5.4 pounds active ingredient per acre (1 gallon of a 5.4 pound per gallon material or 1.33 gallons of a 4 pound per gallon material).

Sweetgum: For complete control, tankmix "Krenite" at 1.5 gallons per acre or glyphosate at 5.4 pounds active ingredient per acre (1 gallon of a 5.4 pound per gallon material or 1.33 gallons of a 4 pound per gallon material).

Use a suitable adjuvant with STREAMLINE® as listed in the adjuvant section of the STREAMLINE® federal label.

Do not apply more than 11.5 ounces per broadcast acre per year.

Use the higher spray volumes, herbicide and adjuvant rates for heavy weed infestations and hard to control species.

Thorough spray coverage of all brush foliage is necessary for best control.

Before using STREAMLINE® herbicide, refer to the product label for additional information and precautions. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at http://cropprotection.dupont.com/

© 2014 E. I. du Pont de Nemours and Company. All rights reserved.

2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA

DUPONT™ PERSPECTIVE® HERBICIDE

EPA REG. NO. 352-846

FOR THE CONTROL OF BROADLEAF WEEDS IN NON-CROP SITES IN ALL STATES EXCEPT NEW HAMPSHIRE, NEW YORK, AND TEXAS

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product in any way that will contact workers of other persons, either directly or through drift. Only protected handlers may be in the area during application.

PERSPECTIVE® must be used only in accordance with directions on this label or in separately published DuPont labeling. DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by DuPont. User assumes all risks associated with such non-labeled use.

PRODUCT INFORMATION

PERSPECTIVE® herbicide is a dispersible granule that is mixed in water and applied as a spray. PERSPECTIVE® herbicide may be applied by ground equipment only, except for rights-of-ways which may also be applied by helicopter, for control of broadleaf weeds, including many terrestrial and riparian invasive and noxious weeds. PERSPECTIVE® is registered for general weed control on private, public and military lands as follows: uncultivated non-agricultural areas (such as airports, highway, railroad and utility rights-of-way, sewage disposal areas, etc.); uncultivated agricultural areas - non-crop producing (such as farmyards, fuel storage areas, fence rows, non-irrigation ditchbanks, barrier strips, etc.); industrial sites - outdoor (such as lumberyards, pipeline and tank farms, etc.) and natural areas (such as wildlife management areas, wildlife openings and wildlife habitats). PERSPECTIVE® may be used for the release or restoration of native perennial grasses and in established, industrial turf grasses.

This product may be applied to terrestrial non-crop sites and unimproved turf sites that contain areas of temporary surface water caused by collection of water, in equipment ruts, or in other depressions created by management activities. It is permissible to treat intermittently flooded low lying sites, seasonally dry flood plains and transitional areas between upland and lowland sites when no water is present. It is also permissible to treat marshes, swamps and bogs after water has receded, as well as seasonally dry flood deltas. PERSPECTIVE® may be applied up to the waters edge. Do not apply directly to water.

PERSPECTIVE® provides preemergence and/or postemergence control of the broadleaf weeds species listed in the weeds controlled section of the label. For perennial species on the label, a postemergence application must be used. For best postemergence performance, add a high quality adjuvant to the spray solution. Excessive wetting of the target plant is not necessary but good spray coverage of the target plant is needed for best results.

Do not apply more than 11 ounces of product per acre per year. Do not apply more than three times per year.

WEEDS CONTROLLED

For heavy weed infestations or hard to control species, use the higher herbicide, adjuvant and spray volume rates. Do not apply more than 11 ounces product broadcast per acre per year.

RATE	**3.0 to 4.5 ounces per acre**
Hawkweed, orange	Hieracium aurantiacum
RATE	**4.75 to 8 ounces per acre**
Locust, honey	Gleditsia triacanth
Thistle, Russian	Salsola kali
Toadflax, dalmation	Linaria dalmatica
Toadflax, yellow	Linaria vulgaris

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at http://cropprotection.dupont.com/

© 2014 E. I. du Pont de Nemours and Company. All rights reserved.