



## Section 2(ee) Recommendation

Date: June 24, 2015

Product: Velista™, EPA Reg. No. 100-1534

Use: Lower Rate for Large Patch on Turfgrasses

State: AL, AR, AZ, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

### Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Disease	Application Site	Rate oz/1,000 sq ft	Application Interval (Days)	Comments
Large Patch ( <i>Rhizoctonia solani</i> )	All Turfgrasses	0.5-0.7	14-28	Make 1-2 applications in the fall as a preventative. Apply an early spring application if disease pressure is high. Do not apply more than 2.2 oz product/1,000 sq ft/year.

Velista™ and the Syngenta logo are trademarks of a Syngenta Group Company.

©2015 Syngenta

2(ee) Registrant:  
Syngenta Crop Protection, LLC  
P. O. Box 18300  
Greensboro, NC 27419-8300

Expiration Date: December 31, 2019

Label Code: AL1534123AC0615



# FIFRA

## Section 2(ee) Recommendation

Date: July 10, 2015

Product: Acelepryn®  
EPA Reg. No. 100-1489

Use: Additional Pests of Ornamental Plants (Exterior Landscapes and Interior  
Plantscapes)

State: AK, AL, AR, AZ, CO, CT, DC, DE, FL, GA, IA, ID, IL, IN, KS, KY, LA, MA, MD,  
ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC,  
SD, TN, UT, VA, VT, WA, WI, WV, WY

The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.

The user should have this recommendation in its possession at the time of use.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.

This recommendation for use of Acelepryn is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Acelepryn Ornamental Foliar Application Rates					
Pest	Product per 100 Gallons	lb ai per 100 Gallons	PPM	Percent ai (wt/vol)	Maximum Gallons per Acre per Year
Fall webworm	1.0 fl oz	0.013	15.6	0.00156	3840
Gypsy moth caterpillar	2.0 fl oz	0.026	31.3	0.00313	1920
Japanese beetle adults	4.0 fl oz	0.052	62.5	0.0625	960
	8.0 fl oz	0.104	125	0.0125	480
Saw fly	5-7.5 fl oz	0.065-0.0975	78-117	0.0078-0.0117	769-513
Zimmerman pine moth	16.0 fl oz	0.208	250	0.025	240

Ornamental Soil Treatment Application Rates				
Pest	Trees: Amount per Inch of Diameter (DBH)		Shrubs: Amount per Foot of Height	
	Product	ai	Product	ai
Rhododendron lace bug	0.0625 fl oz	0.0008 lb	0.0625 fl oz	0.0008 lb
	0.125 fl oz	0.0016 lb	0.125 fl oz	0.0016 lb
	0.25 fl oz	0.0032 lb	0.25 fl oz	0.0032 lb
Japanese beetle adults	0.125 fl oz	0.0016 lb	0.125 fl oz	0.0016 lb
	0.25 fl oz	0.0032 lb	0.25 fl oz	0.0032 lb
Magnolia scale (fall application only) Hemlock woolly adelgid	0.25 fl oz	0.0032 lb	0.25 fl oz	0.0032 lb

Ornamental Application Bark Treatment Rates				
Pest	Product per 100 Gallons	ib ai per 100 Gallons	PPM	Percent ai (wt/vol)
Banded ash clearwing	4.0 fl oz	0.052	62.5	0.00625
	8.0 fl oz	0.104	125	0.0125
Lesser peachtree borer*	16.0 fl oz	0.208	250	0.025
Rhododendron borer				
Viburnum borer				

\*Use a minimum of 8 fl oz per 100 gallons for lesser peachtree borer control.

Do not apply more than 0.5 lb active ingredient per acre per year.

2(ee) Registrant:  
 Syngenta Crop Protection, LLC  
 P. O. Box 18300  
 Greensboro, NC 27419-8300

©2015 Syngenta

Acelepryn® and the Syngenta logo are trademarks of a Syngenta Group Company.

Expiration Date: November 19, 2018

AK1489002BC0715



## Section 2(ee) Recommendation

Date: July 16, 2015

Product: Appear®  
EPA Reg. No. 100-1451

Use: Addition of Bermudagrass Leaf Spot as a Disease Controlled in Turfgrass

State: AK, AL, AR, AZ, CA, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

### Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

For control of bermudagrass leaf spot (*Bipolaris cynodontis*), apply Appear at 6 fl oz/1000 sq ft + Daconil Action™ at 3.5 fl oz/1000 sq ft on a 7-14 day interval. Apply preventatively when conditions are favorable for disease development. Follow all directions for use, restrictions and precautions given on the Appear and Daconil Action labels.

Appear®, Daconil Action™ and the Syngenta logo are trademarks of a Syngenta Group Company.

©2015 Syngenta

2(ee) Registrant:  
Syngenta Crop Protection, LLC  
P. O. Box 18300  
Greensboro, NC 27419-8300

Expiration Date: July 16, 2020

Label Code: AK1451003AC0715



## Section 2(ee) Recommendation

Date: July 31, 2015

Product: Velista™, EPA Reg. No. 100-1534

Use: Lower Rate for Spring Dead Spot

States: AL, AR, AZ, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

### Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Disease	Application Site	Rate oz/1,000 sq ft	Application Interval (Days)	Comments
Spring Dead Spot ( <i>Ophiosphaerella</i> spp.)	All Turfgrass	0.5-0.7	28	Make two applications on a 28 day interval prior to winter dormancy. Do not apply more than 2.2 oz of product/1,000 sq ft/year.

Velista™ and the Syngenta logo are trademarks of a Syngenta Group Company.

©2015 Syngenta

2(ee) Registrant:  
Syngenta Crop Protection, LLC  
P. O. Box 18300  
Greensboro, NC 27419-8300

Expiration Date: July 31, 2020

Label Code: AL1534124AC0715