



Bayer CropScience

Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

Sivanto 200 SL

EPA Reg. No. 264-1141

Reduced rates for foliar applications in Sorghum in control of Sugarcane Aphid.

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF ILLINOIS

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. This product bulletin should be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SORGHUM – FOLIAR

Pest Controlled	Product Rate (fl oz/A)
Sugarcane Aphid	4.0 – 7.0

Foliar Application Restrictions:

Pre-Harvest Interval (PHI): **7 days** - forage; **21 days** - dried grain, stover or straw

Minimum interval between applications: **7 days**

Minimum application volumes: **10 gallons/Acre** (Ground); **2 gallons/Acre** (Aerial)

Maximum SIVANTO 200 SL allowed per year: **28.0 fluid ounces/Acre** (0.365 lb AI/Acre).

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937)

Sivanto is a trademark of Bayer.



FIFRA

Section 2(ee) Recommendation

Date: November 20, 2015

Product: Orondis® Ultra A (EPA Reg. No. 100-1572)
+
Orondis® Ultra B (EPA Reg. No. 100-1254)

Use: Addition of a Tank Mix of Orondis Ultra A with Orondis Ultra B

State: AR, AZ, CO, DE, FL, GA, IA, ID, IL, IN, KS, LA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NM, NV, OH, OK, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

For control of listed diseases and crops on the Orondis Ultra A label, tank mix Orondis Ultra A at 1.64 fl oz/A with Orondis Ultra B at 8 fl oz/A.

Shake Orondis Ultra A container well before using. Follow all directions for use, restrictions and precautions given on the Orondis Ultra A and Orondis Ultra B labels.

Orondis® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2015 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Expiration Date: November 20, 2018

Label Code: AR1572043AC1115



Bayer CropScience

Bayer Environmental Science, a Division of
Bayer CropScience, LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

TARTAN™ STRESSGARD

EPA Reg. No. 432-1446

For control of Take-all Patch on Turfgrass.

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATES OF ALABAMA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, GEORGIA, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, MICHIGAN, MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEW JERSEY, NEW MEXICO, NORTH CAROLINA, OHIO, OKLAHOMA, OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, UTAH, VERMONT, VIRGINIA, WASHINGTON, WEST VIRGINIA, WISCONSIN AND WYOMING

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

Turfgrass Disease Controlled with TARTAN™ STRESSGARD

Disease	TARTAN™ STRESSGARD	fl oz per 1,000 sq ft	Application Interval/ Timing
Take-all Patch	Apply 1 to 2 applications preventatively	1.5-2	28 days

TANK MIXES

Pink snow mold: For control of Pink snow mold on fairways, apply TARTAN™ STRESSGARD at 1 fl oz/1000 sq ft with INTERFACE Fungicide at 3 fl oz/1000 sq ft.

Make one application before first permanent snow cover and, if possible, another application during a mid-winter thaw.

Follow the label directions for the most restrictive of label limitations and precautions. This product cannot be mixed with any product containing a label prohibition against such mixing.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information, Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

FIFRA Section 2(ee) Recommendation



FOR DISTRIBUTION AND USE ONLY IN THE STATES OF
AR, CO, ID, KS, MO, MT, NE, ND, NM, OK, OR, SD, WA, WY

NipsIt INSIDE[®] Insecticide

EPA Reg. No. 59639-151

TO REDUCE CROP DAMAGE FROM GRASSHOPPER FEEDING IN FALL AND EARLY-PLANTED SPRING CEREAL GRAINS

This FIFRA section 2(ee) recommendation expires on December 31, 2018.

DIRECTIONS FOR USE

It is a violation of Federal law to use these products in a manner inconsistent with its labeling.

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This 2(ee) recommendation contains directions for use which do not appear on the package label and must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions and precautions on the EPA registered label when using *NipsIt* Inside Insecticide. Always read and follow all label directions when using any pesticide alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.

ON FARM APPLICATION

CEREAL GRAINS Except Corn (Field, Pop and Sweet), Rice, Sorghum and Wild Rice			
Crops	Insect Pests	<i>NipsIt</i> INSIDE Insecticide Use Rates fl oz/100 lb seed	Use Instructions
Barley Buckwheat Pearl Millet Proso Millet Oats Rye Teosinte Triticale Wheat	Grasshopper	1 to 1.79	To reduce grasshopper feeding damage to seedling plants under low to moderate insect pressure, apply <i>NipsIt</i> INSIDE Insecticide to seed at the rate specified. Treated seed may be planted as a 50 to 60 foot border around the edges of the crop field as a barrier to immature grasshoppers advancing toward the interior of the field.
Restriction Regardless of the type of application, do not apply more than 0.2 lb active ingredient clothianidin per acre per year.			

COMMERCIAL SEED TREATMENT

CEREAL GRAINS Except Corn (Field, Pop and Sweet), Rice, Sorghum and Wild Rice			
Crops	Insect Pests	<i>NipsIt</i> INSIDE Insecticide Use Rates fl oz/100 lb seed	Use Instructions
Barley Buckwheat Pearl Millet Proso Millet Oats Rye Teosinte Triticale Wheat	Grasshopper	1 to 1.79	To reduce grasshopper feeding damage to seedling plants under low to moderate insect pressure, apply <i>NipsIt</i> INSIDE Insecticide to seed at the rate specified. Treated seed may be planted as a 50 to 60 foot border around the edges of the crop field as a barrier to immature grasshoppers advancing toward the interior of the field.
Restriction Regardless of application method, do not apply more than 0.2 lb active ingredient clothianidin per acre per year.			

Please contact Valent U.S.A. Corporation at 800-6-VALENT (682-5368) to determine if this product is registered in your state.

©2015 Valent U.S.A. Corporation

NipsIt INSIDE is a registered trademark of Valent U.S.A. Corporation

Manufactured for:
Valent U.S.A. Corporation
P.O. Box 8025
Walnut Creek, CA 94596-8025

Made in U.S.A.