



Section 2(ee) Recommendation

Date: August 29, 2016

Product: Tandem®
EPA Reg. No. 100-1437

Use: Addition of Elm Seed Bug as a Pest Controlled

State: AL, AK, AR, AZ, CA, CO, CT, DC, DE, FL, GA, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Tandem Rates for Structural Pests (Hand Application Equipment)

Pest	Concentration of ai	Dilution Rate
Elm Seed Bug	0.13%	0.13%: 1.1 fl oz (32 ml)/gal of water

Follow the Indoor Pests directions for Occasional Invaders (Boxelder Bugs, Centipedes, Millipedes, Multicolored Asian Lady Beetles, Pillbugs, Scorpions, Sowbugs, and Stink Bugs) and the Outdoor Pests – Perimeter Treatments Around Structures of the Tandem Section 3 label.

Tandem® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2016 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Expiration Date: August 4, 2020

Label Code: AL1437132CC0816



FIFRA

Section 2(ee) Recommendation

Date: August 4, 2016

Product: Demand® EZ Insecticide
EPA Reg. No. 100-1232

Use: Addition of Elm Seed Bug as a Pest Controlled

State: AL, AK, AR, AZ, CA, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Demand EZ Rates for Structural Pests (Hand Application Equipement)

Pest	Concentration of ai	Dilution Rate
Elm Seed Bug	0.03 – 0.06%	0.03%: 1.6 fl oz (48 ml)/gal of water
		0.06%: 3.2 fl oz (96 ml)/gal of water

Follow the Specific Use Directions for Boxelder Bugs, Centipedes, Millipedes, Pillbugs, and Sowbugs and the Outdoor Surfaces Use sections of the Demand EZ Section 3 label.

Demand® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2016 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Expiration Date: August 4, 2020

Label Code: AL1232131AC0716



Section 2(ee) Recommendation

Date: August 4, 2016

Product: Demand® CS Insecticide
EPA Reg. No. 100-1066

Use: Addition of Elm Seed Bug as a Pest Controlled

State: AL, AK, AR, AZ, CA, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Demand CS Rates for Structural Pests (Hand Application Equipment)

Pest	Concentration of ai	Dilution Rate
Elm Seed Bug	0.03 – 0.06%	0.03%: 0.4 fl oz (12 ml)/gal of water
		0.06%: 0.8 fl oz (24 ml)/gal of water

Follow the Specific Use Directions for Boxelder Bugs, Centipedes, Millipedes, Pillbugs, and Sowbugs and the Outdoor Surfaces Use sections of the Demand CS Section 3 label.

Demand® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2016 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Expiration Date: August 4, 2020

Label Code: AL1066130AC0716



Section 2(ee) Recommendation

Date: July 6, 2016

Product: Agri-Mek® SC Miticide/Insecticide
EPA Reg. No. 100-1351

Use: For Control of Broad Mite in Caneberry

State: AR, FL, IL, IN, NC, PA, SC

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Agri-Mek SC Miticide/Insecticide will provide control of broad mite when applied at the rate of 3.5 fl oz/A.

To avoid illegal residues Agri-Mek SC Miticide/Insecticide must be mixed with a non-ionic activator type wetting, spreading and/or penetrating spray adjuvant. Do not use binder sticker type adjuvants.

Use sufficient water volume and spray pressure to ensure thorough coverage of the foliage. Spray contact to these pests and good coverage is very important in making these applications successful.

Apply when broad mites are first observed and repeat application, as needed, to maintain control within constraints of a sound resistance management program. However, do not apply more than the maximum amount per application or maximum amount per year.

Agri-Mek® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2016 Syngenta

2(ee) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Expiration Date: July 6, 2020

Label Code: AR1351046AC0716



Bayer CropScience

Bayer CropScience LP
 P.O. Box 12014
 2 T.W. Alexander Drive
 Research Triangle Park, North Carolina 27709
 1-866-99BAYER (1-866-992-2937)

PROPULSE™

For Control of White Mold in Soybeans
 EPA Reg. No. 264-1084

FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE(S) OF ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, NORTH DAKOTA, OHIO, SOUTH DAKOTA, WISCONSIN

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

Soybean		
Disease Control	Application Rate	Product Instructions
White Mold (<i>Sclerotinia sclerotiorum</i>)	6-8 fl oz/acre	Apply at the critical timings for disease control. Refer to University and/or extension guidelines for best application timings. Continue as needed on a 10- to 14-day interval. When disease pressure is severe, use the shorter intervals.
Restrictions: <ul style="list-style-type: none"> Do not apply more than 30.9 fl oz/acre per year. Regardless of formulation or method of application, do not apply more than 0.446 lbs fluopyram or 0.403 lbs prothioconazole per acre per year, including seed treatment, soil and foliar uses. Apply by either ground, aerial, or chemigation application equipment. Do not apply PROPULSE within 21 days of harvest. To limit the potential for development of disease resistance to this fungicide, do not make more than 2 sequential applications of PROPULSE or any Group 7 or Group 3 containing fungicide before rotating with a fungicide from a different Group. Do not allow livestock to graze soybean forage or hay and do not harvest soybean forage or bean hay for food or feed. 		

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.
 For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

*As with any crop-protection product, always read and follow label directions.
 For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*